

AMENDMENT TO THE CLAIMS

1. (Currently Amended) A casing of one of a Russian cigarette ~~or like~~ and a smoking device, comprising: an empty mouthpiece (1) and one of a connected ~~[[or]]~~ and a connectable empty envelope (2), at least a part of ~~the~~ a cavity (4) of the envelope (2) ~~being intended~~ able to receive smoking material, ~~characterized in that it contains a separating partition which is selectively penetrable by the smoke[[,]]~~ and installed so that at least a part of ~~the~~ a second cavity (3) of the mouthpiece (1) ~~could be detached~~ is detachable from at least a part of the cavity (4) of the envelope (2), and ~~so that it is possible to overlap~~ overlapping at least a part of ~~the~~ a cross section of the cavity (3) of the mouthpiece (1).

Claims 2-19 (Canceled)

20. (New) The casing according to claim 1, wherein the separating partition is selectively penetrable by the smoke and has a form of a deformed part (5) of a wall of the empty mouthpiece (1).

Serial No.: 10/587,600

21. (New) The casing according to claim 20, wherein the deformed part (5) of the wall of the empty mouthpiece (1) is perforated (7).

22. (New) The casing according to claim 1, wherein the separating partition is selectively penetrable by the smoke and has a form of a perforated diaphragm (8).

23. (New) The casing according to claim 1, wherein the separating partition is selectively penetrable by the smoke and has a form of a spiral insert (9).

24. (New) The casing according to claim 23, wherein a spacing insert (12) is installed in a part of the cavity (4) of the envelope (2).

25. (New) A casing of one of a cigarette and a smoking device, comprising: an empty mouthpiece (1) and a connected empty envelope (2), a length of the empty mouthpiece (1) being one of equal to and greater than a second length of the empty envelope (2), the empty envelope (2) overlapping the empty mouthpiece (1) with an entire length, and the empty mouthpiece (1) and the empty envelope (2) displaceable relative to each other along a common longitudinal axis.

Serial No.: 10/587,600

26. (New) The casing according to claim 25, wherein a separating partition is selectively penetrable by smoke and is installed to one of detach and withdraw at least a part of a cavity (3) of the mouthpiece (1) from at least a second part of a second cavity (4) of the envelope (2) and to overlap at least a partial cross section of the cavity (3) of the mouthpiece (1).

27. (New) The casing according to claim 26, wherein the separating partition is selectively penetrable by the smoke and has a form of a deformed part (5) of a wall of the empty mouthpiece (1).

28. (New) The casing according to claim 27, wherein the deformed part (5) of the wall of the empty mouthpiece (1) is perforated (7).

29. (New) The casing according to claim 26, wherein the separating partition is selectively penetrable by the smoke and has a form of a perforated diaphragm (8).

30. (New) The casing according to claim 26, wherein the separating partition is selectively penetrable by the smoke and has a form of a spiral insert (9).

Serial No.: 10/587,600

31. (New) The casing according to claim 30, wherein the empty mouthpiece (1) is of a material with a low sorption capability.

32. (New) The casing according to claim 24, wherein the empty mouthpiece (1) is made of a material with a low sorption capability.

33. (New) The casing according to claim 30, wherein a separating partition is selectively penetrable by the smoke and is made of a material with a low sorption capability.

34. (New) The casing according to claim 24, wherein a separating partition is selectively penetrable for the smoke and is made of a material with a low sorption capability.

35. (New) The casing according to claim 25, further comprising a filter.

36. (New) The casing according to claim 23, wherein the empty mouthpiece (1) and the empty envelope (2) are moveable relative to each other along a common longitudinal axis.

Serial No.: 10/587,600

37. (New) The casing according to claim 24, wherein the empty mouthpiece (1) and the empty envelope (2) are moveable relative to each other along a common longitudinal axis.

38. (New) The casing according to claim 1, wherein a spacing insert (12) is installed in a part of the cavity (4) of the envelope (2).

39. (New) The casing according to claim 25, wherein the empty mouthpiece (1) is of a material with a low sorption capability.

40. (New) The casing according to claim 1, wherein a separating partition is selectively penetrable by the smoke and is made of a material with a low sorption capability.

41. (New) The casing according to claim 1, wherein the empty mouthpiece (1) and the empty envelope (2) are moveable relative to each other along a common longitudinal axis.